88888888888888888888888888888888888888	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	\$	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	
888 888 888 8888888888 8888888888888 888888		\$\$\$ \$\$\$ \$\$\$\$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$\$\$\$\$\$ \$\$\$\$		

BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	\$	NN	KK
RRRRRRRR RRRRRRRR RR RR RR RR RR RR RRRRRR	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE	QQQQQQ QQ QQ QQ QQ		

:

:

.

Require file for definitions of the LINKAGE conventions for VAX-11 BASIC-PLUS-2 File: BASLNK.REQ Edit: PLL1004

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

Edit History:

1-001 - Created. JBS 20-FEB-1979 1-002 - Change name to BASLNK and add scale linkages. JBS 26-JUN-1979

1-003 - Remove the PRINT statement for new BLISS compiler.
JBS 02-0CT-1979

1-004 - Add registers 5 and 6 to VA_JSB. PLL 25-Sep-81

This file contains the linkage conventions for the non-I/O parts of VAX-11 BASIC-PLUS-2. This text is in a REQUIRE file so that it can be co-ordinated between modules. It is not in OTSLNK for modularity: it is easy to tell which modules might be effected by a change in these linkage conventions since only the modules that need them include their definitions.

! Virtual array (BASIC file Array) support

LINKAGE

VA_JSB = JSB (REGISTER = 0, REGISTER = 1, REGISTER = 2, REGISTER = 3,

```
BASLNK.REQ;1

REGISTER = 4,
REGISTER = 5,
PREGISTER = 5,
NOTUSED (9, 10, 11);

Scale and descale

LINKAGE

BASSSCALE LINK = JSB (REGISTER = 0, REGISTER = 1);
GLOBAL (BSFSA_MAJOR STG = 11, BSFSA_MINOR_STG = 10, BSFSA_TEMP_STG = 9)
PRESERVE (8, 7, 6, 5, 4, 3, 2)
NOPRESERVE (1, 0),

BASSSCALE JSB = JSB (REGISTER = 0, REGISTER = 1);
PRESERVE (8, 7, 6, 5, 4, 3, 2)
NOPRESERVE (1, 0);
End of file BASLNK.REQ
```

0019 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

